

RG Series Steel Gravity Rollers Light to Medium duty




RG series rollers are general purpose steel rollers with oiled free running (cup & cone) style bearings for manual/gravity applications

Found in>	MATERIAL	TUBE EXTRAS
Warehouses	Zinc Plated Steel tube Steel axles	Rubber Sleeve
Factories		Bonded Rubber
Airports		Polyurethane
Cutting Equipment		

Roller Type	Roller Diameter & wall thickness	○ Axle	⬡ Axle	Bearing Type +housing	Load Capacity†
RG-20	∅20 x1.5 wall	∅6 ∅8	-	KTR20.01+plastic	3kgF udl
RG-25	∅25.4 x1.2 wall	∅6	-	3GF418+steel	15kgF udl
RG-30	∅30 x1.5 wall	∅6, ∅8 ∅10	-	MTR30.20+steel	40kgF udl
RG-35 (PR-35)	∅35 x1.2 wall	∅8	8H	PR35 6001+plastic	45kgF udl
RG-38 (defunct)	∅38 x1.5 wall	-	-	-	-
RG-40	∅40 x1.5 wall	∅8 ∅10 ∅11 ∅12	11H	MTR48.2+steel	70kgF udl
RG-50LD*	∅50x1.5 wall	∅8 ∅10 ∅11 ∅12	11H	KTR50.03+plastic	30kgF udl
RG-50	∅50x1.5 wall	∅8 ∅10 ∅11 ∅12	11H	MTR50.2+steel	80kgF udl
RG-50MD	∅51 x2 wall	∅8 ∅10 ∅11 ∅12	11H	MTR50.2+steel	80kgF udl
RG-60	∅60 x2 wall	∅10 ∅11 ∅12	11H	MTR60.2+steel	80kgF udl
RG-80	∅80 x2 wall	∅10 ∅11 ∅12	11H	MTR80.2+steel	80kgF udl
RG-80MD	∅80 x2 wall	∅14	-	MTR80.2+steel	120kgF udl

*LD=all weather bearing. † Load Capacity calculated on standard lengths & axle fixing. Please ask us to confirm advisable load on quotation/order

Roller Type (ie RG-50LD)	
Axle length OA	
Over boss OB	
Axle size (ie 11H)	
Axle Type & Dimension (ie AX8 M8x16L)	
Quantity Required	
Notes	



Company Name and address:-

Signed.....Print.....

Date:

Purchase order No.:

Collect or AED to despatch – circle as appropriate

Please sign & return Order